



[Link to ODGS Publications](#)

Ohio Division of Geological Survey
Great Lakes Geologic Mapping Coalition Publications
Updated
March 2020

2019

- Aden, Douglas, 2019, Karst in the Lilley Formation, Peebles 7.5-minute quadrangle, Ohio, *in* Thorleifson, L. H., ed., Geologic Mapping Forum 2019 Abstracts: Minnesota Geological Survey Open-File Report 19-1, p. 4–5.
- Aden, D. J., 2019, Surficial geology of the Gnadenhutten quadrangle, Ohio: Columbus, Ohio Department of Natural Resources, Division of Geological Survey, Digital Map Series SG-4A, scale 1:24,000.
- Aden, D. J., 2019, Surficial geology of the New Philadelphia quadrangle, Ohio: Columbus, Ohio Department of Natural Resources, Division of Geological Survey, Digital Map Series SG-4A, scale 1:24,000.
- Aden, D. J., 2019, Surficial geology of the Tippecanoe quadrangle, Ohio: Columbus, Ohio Department of Natural Resources, Division of Geological Survey, Digital Map Series SG-4A, scale 1:24,000.
- Aden, D. J., 2019, Surficial geology of the Uhrichsville quadrangle, Ohio: Columbus, Ohio Department of Natural Resources, Division of Geological Survey, Digital Map Series SG-4A, scale 1:24,000.
- Aden, D. J., and Parrick, B. D., 2018, Karst of northern portions of the Peebles and Jaybird 7.5-minute quadrangles, Ohio: Columbus, Ohio Department of Natural Resources, Division of Geological Survey Open-File Report 2018-3, 40 p., 44 map tiles.
- Nash, T. A., 2019, Surficial geology of the Antrim quadrangle, Ohio: Columbus, Ohio Department of Natural Resources, Division of Geological Survey, Digital Map Series SG-4A, scale 1:24,000.
- Nash, T. A., 2019, Surficial geology of the Birmingham quadrangle, Ohio: Columbus, Ohio Department of Natural Resources, Division of Geological Survey, Digital Map Series SG-4A, scale 1:24,000.
- Nash, T. A., 2019, Surficial geology of the Freeport quadrangle, Ohio: Columbus, Ohio Department of Natural Resources, Division of Geological Survey, Digital Map Series SG-4A, scale 1:24,000.
- Nash, T. A., 2019, Surficial geology of the Old Washington quadrangle, Ohio: Columbus, Ohio Department of Natural Resources, Division of Geological Survey, Digital Map Series SG-4A, scale 1:24,000.
- Nash, T. A., Jr., and Aden, D. J., 2019, The surficial geology of eight 7.5-minute quadrangles near Coshocton, Ohio, *in* Thorleifson, L. H., ed., Geologic Mapping Forum 2019 Abstracts: Minnesota Geological Survey Open-File Report 19-1, p. 65–66.
- Ohio Department of Natural Resources, Division of Geological Survey, 2019, Ohio karst interactive map: Columbus, Ohio Department of Natural Resources, Division of Geological Survey, accessed December 5, 2019, at URL https://gis.ohiodnr.gov/website/dgs/karst_interactivemap/.

2018

- Aden, Douglas, in review, Quantitative comparison of sinkhole geomorphology of four karst regions in Ohio: Proceedings of the 15th Multidisciplinary Conference on Sinkholes and the Engineering and Environmental Impacts of Karst and the 3rd Appalachian Karst Symposium, Shepherdstown, West Virginia, p. 259–267.
- Aden, D. J., 2018, Surficial geology of the Coshocton quadrangle, Ohio: Ohio Department of Natural Resources, Division of Geological Survey Digital Map Series SG-4A Coshocton, scale 1:24,000; Ohio Department of Natural Resources website, accessed February 12, 2020, at http://geosurvey.ohiodnr.gov/portals/geosurvey/PDFs/SurficialDerivativesPDF_Drafts/SG4/Coshocton_SG-4A.pdf.
- Aden, D. J., 2018, Surficial geology of the Killbuck quadrangle, Ohio: Ohio Department of Natural Resources, Division of Geological Survey Digital Map Series SG-4A Killbuck, scale 1:24,000; Ohio Department of Natural Resources website, accessed February 12, 2020, at URL http://geosurvey.ohiodnr.gov/portals/geosurvey/PDFs/SurficialDerivativesPDF_Drafts/SG4/Killbuck_SG-4A.pdf.
- Aden, D. J., 2018, Surficial geology of the New Bedford quadrangle, Ohio: Ohio Department of Natural Resources, Division of Geological Survey Digital Map Series SG-4A New Bedford, scale 1:24,000; Ohio Department of Natural Resources website, accessed February 12, 2020, at URL http://geosurvey.ohiodnr.gov/portals/geosurvey/PDFs/SurficialDerivativesPDF_Drafts/SG4/NewBedford_SG-4A.pdf.
- Aden, D. J., 2018, Surficial geology of the Randle quadrangle, Ohio: Ohio Department of Natural Resources, Division of Geological Survey Digital Map Series SG-4A Randle, scale 1:24,000; Ohio Department of Natural Resources website, accessed February 12, 2020, at URL http://geosurvey.ohiodnr.gov/portals/geosurvey/PDFs/SurficialDerivativesPDF_Drafts/SG4/Randle_SG-4A.pdf.
- Blake, D. R., and Nash, T. A., 2018, Mapping bedrock topography and drift thickness of the preglacial Teays River within the Anna Seismic Zone, Ohio: Ohio Department of Natural Resources, Division of Geological Survey Open-File Report 2018-2, 18 p.
- Nash, T. A., 2018, Surficial geology of the Adamsville quadrangle, Ohio: Ohio Department of Natural Resources, Division of Geological Survey Digital Map Series SG-4A Adamsville, scale 1:24,000; Ohio Department of Natural Resources webpage, accessed February 12, 2020, at URL geosurvey.ohiodnr.gov/portals/geosurvey/PDFs/SurficialDerivativesPDF_Drafts/SG4/Adamsville_SG-4A.pdf.
- Nash, T. A., 2018, Surficial geology of the Conesville quadrangle, Ohio: Ohio Department of Natural Resources, Division of Geological Survey Digital Map Series SG-4A Conesville, scale 1:24,000; Ohio Department of Natural Resources webpage, accessed February 12, 2020, at URL http://geosurvey.ohiodnr.gov/portals/geosurvey/PDFs/SurficialDerivativesPDF_Drafts/SG4/Conesville_SG-4A.pdf.
- Nash, T. A., 2018, Surficial geology of the Otsego quadrangle, Ohio: Ohio Department of Natural Resources, Division of Geological Survey Digital Map Series SG-4A Otsego, scale 1:24,000; Ohio Department of Natural Resources webpage, accessed February 12, 2020, at URL http://geosurvey.ohiodnr.gov/portals/geosurvey/PDFs/SurficialDerivativesPDF_Drafts/SG4/Otsego_SG-4A.pdf.

- Nash, T. A., 2018, Surficial geology of the Wills Creek quadrangle, Ohio: Ohio Department of Natural Resources, Division of Geological Survey Digital Map Series SG-4A Wills Creek, scale 1:24,000; Ohio Department of Natural Resources webpage, accessed February 12, 2020, at URL http://geosurvey.ohiodnr.gov/portals/geosurvey/PDFs/SurficialDerivativesPDF_Drafts/SG4/WillsCreek_SG-4A.pdf.
- Nash, T. A., Jr., 2018, The surficial geology of five 7.5-minute quadrangles in the Perry County area, Ohio, *in* Thorleifson, L. H., ed., Geologic Mapping Forum 2018 abstracts: Minnesota Geological Survey Open-File Report 18-1, p. 53.
- Stucker, J. D., 2018, The Ohio Geological Survey's Great Lakes Geologic Mapping Coalition projects in 2018, *in* Thorleifson, L. H., ed., Geologic Mapping Forum 2018 abstracts: Minnesota Geological Survey Open-File Report 18-1, p. 86.

2017

- Aden, D. J., 2017, Status of karst mapping in Ohio: Geological Society of America Abstracts with Programs, v. 49, no. 2, accessed February 13, 2020, at URL <https://gsa.confex.com/gsa/2017NE/webprogram/Paper291111.html>, doi: 10.1130/abs/2017NE-291111.
- Aden, D. J., and Parrick, B. D., 2017, Karst of the Sinking Spring 7.5-minute quadrangle: Ohio Department of Natural Resources, Division of Geological Survey Open-File Report 2017-1, 52 p.; Ohio Department of Natural Resources website, accessed February 13, 2020, at URL https://geosurvey.ohiodnr.gov/portals/geosurvey/PDFs/OpenFileReports/OFR_2017-2.pdf.
- Erber, N. R., 2017, Surficial geology of the Chillicothe, Ohio region: Geological Society of America Abstracts with Programs, v. 49, no. 2, accessed February 13, 2020, at URL <https://gsa.confex.com/gsa/2017NE/webprogram/Paper291068.html>, doi: 10.1130/abs/2017NE-291068.
- Erber, N. R., 2017, Surficial geology of the Hallsville quadrangle, Ohio: Ohio Department of Natural Resources, Division of Geological Survey Digital Map Series SG-4A Hallsville, scale 1:24,000; Ohio Department of Natural Resources website, accessed February 13, 2020, at URL https://geosurvey.ohiodnr.gov/portals/geosurvey/PDFs/SurficialDerivativesPDF_Drafts/SG4/SG-4_Hallsville.pdf.
- Erber, N. R., 2017, Surficial geology of the Kingston quadrangle, Ohio: Ohio Department of Natural Resources, Division of Geological Survey Digital Map Series SG-4A Kingston, scale 1:24,000; Ohio Department of Natural Resources website, accessed February 13, 2020, at URL https://geosurvey.ohiodnr.gov/portals/geosurvey/PDFs/SurficialDerivativesPDF_Drafts/SG4/SG-4_Kingston.pdf.
- Erber, N. R., 2017, Surficial geology of the Londonderry quadrangle, Ohio: Ohio Department of Natural Resources, Division of Geological Survey Digital Map Series SG-4A Londonderry, scale 1:24,000; Ohio Department of Natural Resources website, accessed February 13, 2020, at URL https://geosurvey.ohiodnr.gov/portals/geosurvey/PDFs/SurficialDerivativesPDF_Drafts/SG4/SG-4_Londonderry.pdf.
- Erber, N. R., 2017, Surficial geology of the Richmond Dale quadrangle, Ohio: Ohio Department of Natural Resources, Division of Geological Survey Digital Map Series SG-4A Richmond Dale, scale 1:24,000; Ohio Department of Natural Resources website, accessed February 13, 2020, at URL http://geosurvey.ohiodnr.gov/portals/geosurvey/PDFs/SurficialDerivativesPDF_Drafts/SG4/SG-4_Richmond_Dale.pdf.

Erber, N. R., 2017, Surficial geology of the Waverly North quadrangle, Ohio: Ohio Department of Natural Resources, Division of Geological Survey Digital Map Series SG-4A Waverly North, scale 1:24,000; Ohio Department of Natural Resources website, accessed February 13, 2020, at URL http://geosurvey.ohiodnr.gov/portals/geosurvey/PDFs/SurficialDerivativesPDF_Drafts/SG4/SG-4_Waverly_North.pdf.

2016

- Aden, D. J., 2016, An improved DEM processing model to more accurately locate sinkholes in southwestern Ohio: Geological Society of America Abstracts with Programs, v. 48, no. 5, accessed February 13, 2020, at URL <https://gsa.confex.com/gsa/2016NC/webprogram/Paper275118.html>, doi: 10.1130/abs/2016NC-275118.
- Aden, D. J., 2016, Karst of the Belfast and Sugar Tree Ridge 7.5-minute quadrangles, Ohio: Columbus, Ohio Department of Natural Resources, Division of Geological Survey Open-File Report 2016-4, 7 p., 68 maps; IUScholarWorks (digital repository), accessed February 13, 2020, at URL <https://scholarworks.iu.edu/dspace/handle/2022/21029>.
- Berg, R. C., Brown, S. E., Thomason, J. F., Hasenmueller, N. R., Letsinger, S. L., Kincare, K. A., Esch, J. M., Kehew, A. E., Thorleifson, L. H., Kozlowski, A. L., Bird, B. C., Pavey, R. R., Bajc, A. F., Burt, A. K., Fleeger, G. M., and Carson, E. C., 2016, A multiagency and multijurisdictional approach to mapping the glacial deposits of the Great Lakes region in three dimensions, *in* Wessel, G. R., and Greenberg, J. K., eds., *Geoscience for the Public Good and Global Development: Toward a Sustainable Future*: Geological Society of America Special Paper 520, p. 415–447, accessed February 27, 2020, at URL [https://doi.org/10.1130/2016.2520\(000\)](https://doi.org/10.1130/2016.2520(000)).
- Erber, N. R. and Spahr, P. N., 2016, Bedrock topography of the Chillicothe East quadrangle, Ohio: Columbus, Ohio Department of Natural Resources, Division of Geological Survey, Digital Map Series SG-4B Chillicothe East, scale 1:24,000; IUScholarWorks (digital repository), accessed February 13, 2020, at URL <https://scholarworks.iu.edu/dspace/handle/2022/21030>.
- Erber, N. R. and Spahr, P. N., 2016, Digital elevation model of the Chillicothe East quadrangle, Ohio: Columbus, Ohio Department of Natural Resources, Division of Geological Survey, Digital Map Series SG-4D Chillicothe East, scale 1:24,000; IUScholarWorks (digital repository), accessed February 13, 2020, at URL <https://scholarworks.iu.edu/dspace/handle/2022/21031>.
- Erber, N. R. and Spahr, P. N., 2016, Drift thickness of the Chillicothe East quadrangle, Ohio: Columbus, Ohio Department of Natural Resources, Division of Geological Survey, Digital Map Series SG-4C Chillicothe East, scale 1:24,000; IUScholarWorks (digital repository), accessed February 13, 2020, at URL <https://scholarworks.iu.edu/dspace/handle/2022/21032>.
- Erber, N. R. and Spahr, P. N., 2016, Surficial geology of the Chillicothe East quadrangle, Ohio: Columbus, Ohio Department of Natural Resources, Division of Geological Survey, Digital Map Series SG-4A Chillicothe East, scale 1:24,000. (A PDF of this publication will also be placed in IUScholarWorks.)

2015

- Aden, D. J., 2015, Using LiDAR data to conduct karst mapping in south-central Ohio: Geological Society of America Abstracts with Programs, v. 47, no. 5, p. 73; Geological Society of America webpage, accessed February 13, 2020, at URL <https://gsa.confex.com/gsa/2015NC/webprogram/Paper255298.html>.

- Aden, D. J., with GIS and cartography by Martin, D. R., 2015, Karst of the Hillsboro, New Market, New Vienna, and Leesburg quadrangles, Ohio: Ohio Department of Natural Resources, Division of Geological Survey Open-File Report 2015-1, 74 p., accessed February 13, 2020, at URL <https://geosurvey.ohiodnr.gov/publications-maps-data/open-file-reports>; IUScholarWorks (digital repository), accessed February 13, 2020, at URL <https://scholarworks.iu.edu/dspace/handle/2022/20397>.
- Fugitt, F. L., and Spahr, P. N., 2015, Ohio surficial geology—3D visualizations from 2D maps: Geological Society of America Abstracts with Programs, v. 47, no. 5, p. 92; Geological Society of America webpage, accessed February 13, 2020, at URL <https://gsa.confex.com/gsa/2015NC/webprogram/Paper255308.html>.
- Fugitt, F. L., Spahr, P. N., Pavey, R. R., Jones, D. M., Angle, M. P., and Aden, D. J., 2015, Surficial geology of the Hillsboro 30 x 60-minute quadrangle in Ohio: Ohio Department of Natural Resources, Division of Geological Survey Map S-2-HIL, scale 1:100,000.
- Karaffa, M. D., Pavey, R. R., Monaghan, G. W., and Loope, H. M., 2015, Interpretation of the interlobate margins of late Wisconsin ice lobes in Indiana—100 years later: Geological Society of America Abstracts with Programs, v. 47, no. 5, p. 4; Geological Society of America webpage, accessed February 13, 2020, at URL <https://gsa.confex.com/gsa/2015NC/webprogram/Paper255856.html>.
- Lowell, T. V., Loope, H. M., and Curry, Brandon, 2015, Timing of the Last Glacial Maximum in the Great Lakes region of the Laurentide Ice Sheet: Geological Society of America Abstracts with Programs, v. 47, no. 5, p. 19; Geological Society of America webpage, accessed March 4, 2020, at URL <https://gsa.confex.com/gsa/2015NC/webprogram/Paper256042.html>.
- Pavey, R. R., 2015, Over the edge—mapping Quaternary geology deposits beyond the glacial margin: Geological Society of America Abstracts with Programs, v. 47, no. 5, p. 79; Geological Society of America webpage, accessed February 13, 2020, at URL <https://gsa.confex.com/gsa/2015NC/webprogram/Paper255305.html>.
- Pavey, R. R., with GIS and cartography by Martin, D. R., 2015, Bedrock topography of the Bainbridge quadrangle, Ohio: Ohio Department of Natural Resources, Division of Geological Survey Digital Map Series SG-4B, scale 1:24,000; IUScholarWorks (digital repository), accessed February 13, 2020, at URL <https://scholarworks.iu.edu/dspace/handle/2022/20394>.
- Pavey, R. R., with GIS and cartography by Martin, D. R., 2015, Digital elevation model of the Bainbridge quadrangle, Ohio: Ohio Department of Natural Resources, Division of Geological Survey Digital Map Series SG-4D, scale 1:24,000; IUScholarWorks (digital repository), accessed February 13, 2020, at URL <https://scholarworks.iu.edu/dspace/handle/2022/20396>.
- Pavey, R. R., with GIS and cartography by Martin, D. R., 2015, Drift thickness of the Bainbridge quadrangle, Ohio: Ohio Department of Natural Resources, Division of Geological Survey Digital Map Series SG-4C, scale 1:24,000; IUScholarWorks (digital repository), accessed February 13, 2020, at URL <https://scholarworks.iu.edu/dspace/handle/2022/20395>.
- Pavey, R. R., with GIS and cartography by Martin, D. R., 2015, Surficial geology of the Bainbridge quadrangle, Ohio: Ohio Department of Natural Resources, Division of Geological Survey Digital Map Series SG-4A, scale 1:24,000; IUScholarWorks (digital repository), accessed February 13, 2020, at URL <https://scholarworks.iu.edu/dspace/handle/2022/20398>.

2014

- Aden, D. J., with GIS and cartography by Martin, D. R., 2014, Karst of the Fireside quadrangle and portions of the Flat Rock and Clyde quadrangles, Ohio: Ohio Department of Natural Resources, Division of Geological Survey Open-File Report 2014-1, 4 p., 42 maps; IUScholarWorks (digital repository), accessed February 13, 2020, at URL <https://scholarworks.iu.edu/dspace/handle/2022/18935>.
- Pavey, R. R., with cartography by Martin, D. R., 2014, Bedrock topography of the Rainsboro, Ohio 7.5-minute quadrangle: Ohio Department of Natural Resources, Division of Geological Survey, scale 1:24,000.
- Pavey, R. R., with cartography by Martin, D. R., 2014, Drift thickness of the Rainsboro, Ohio 7.5-minute quadrangle: Ohio Department of Natural Resources, Division of Geological Survey, scale 1:24,000.
- Pavey, R. R., with cartography by Martin, D. R., 2014, Shaded elevation of the Rainsboro, Ohio 7.5-minute quadrangle: Ohio Department of Natural Resources, Division of Geological Survey, scale 1:24,000.
- Pavey, R. R., with cartography by Martin, D. R., 2014, Surficial geology of the Rainsboro, Ohio 7.5-minute quadrangle: Ohio Department of Natural Resources, Division of Geological Survey, scale 1:24,000.

2013

- Aden, D. J., 2013, Mapping karst in the north-central Ohio region: Geological Society of America Abstracts with Programs, v. 45, no. 4, p. 18; Geological Society of America webpage, accessed February 13, 2020, at URL <https://gsa.confex.com/gsa/2013NC/webprogram/Paper218321.html>.
- Aden, D. J., with GIS and cartography by Martin, D. R., 2013, Karst of the Bellevue quadrangle and portions of the Clyde and Castalia quadrangles, Ohio: Ohio Department of Natural Resources, Division of Geological Survey Open-File Report 20131, 4 p., 59 maps; IUScholarWorks (digital repository), accessed February 13, 2020, at URL <https://scholarworks.iu.edu/dspace/handle/2022/16882>.
- Jones, D. M., Pavey, R. R., Larsen, G. E., Aden, D. J., and Angle, M. P., 2013, Potential for mineable bedrock in the Lima 30 x 60-minute quadrangle in Ohio: Ohio Department of Natural Resources, Division of Geological Survey Map SG-2d LIM, scale 1:100,000; IUScholarWorks (digital repository), accessed February 13, 2020, at URL <https://scholarworks.iu.edu/dspace/handle/2022/16880>.
- Pavey, R. R., and Martin, D. R., 2013, Evaluation of glacial features in northwestern Ohio using LiDAR data: Geological Society of America Abstracts with Programs, v. 45, no. 4, p. 14; Geological Society of America webpage, accessed February 13, 2020, at URL <https://gsa.confex.com/gsa/2013NC/webprogram/Paper218322.html>.
- Pavey R. R., and Stone, B. D., 2013, Lake Erie bluff profile for the North Kingsville quadrangle: IUScholarWorks (digital repository), accessed February 13, 2020, at URL <https://scholarworks.iu.edu/dspace/handle/2022/16881>.

2012

- Aden, D. J., 2012, Karst of Delaware County and Clark County, Ohio: Geological Society of America Abstracts with Programs, v. 44, no. 5, p. 3; Geological Society of America webpage, accessed February 13, 2020, at URL <https://gsa.confex.com/gsa/2012NC/webprogram/Paper202690.html>.
- Aden, D. J., with GIS and cartography by Martin, D. R., 2012, Karst of Springfield, Ohio: Ohio Department of Natural Resources, Division of Geological Survey Open-File Report 2012-2, 25 p.

- Angle, M. P., Pavey, R. R., Aden, D. J., and Jones, D. M., 2012, Mapping Ohio's surficial geology—Tools, techniques, and applications to groundwater: Geological Society of America Abstracts with Programs, v. 44, no. 5, p. 3; Geological Society of America webpage, accessed February 13, 2020, at URL <https://gsa.confex.com/gsa/2012NC/webprogram/Paper202904.html>.
- Martin, D. R., and Pavey, R. R., 2012, Aerial photograph of the Powell, Ohio 7.5-minute quadrangle in 1951 and 2010: Ohio Department of Natural Resources, Division of Geological Survey Open-File Report 2012-__.
- Pavey, R. R., Angle, M. P., Powers, D. M., and Swinford, E. M., 2012, Karst flooding in Bellevue, Ohio, and vicinity—2008: Department of Natural Resources, Division of Geological Survey Map EG-5, scale 1:24,000.
- Pavey, R. R., and Martin, D. R., 2012, Bedrock topography of the Powell, Ohio 7.5-minute quadrangle: Ohio Department of Natural Resources, Division of Geological Survey Open-File Report 2012-__.
- Pavey, R. R., and Martin, D. R., 2012, Drift thickness and karst features of the Powell, Ohio 7.5-minute quadrangle: Ohio Department of Natural Resources, Division of Geological Survey Open-File Report 2012-__.
- Pavey, R. R., and Martin, D. R., 2012, Shaded elevation of the Powell, Ohio 7.5-minute quadrangle: Ohio Department of Natural Resources, Division of Geological Survey Open-File Report 2012-__.
- Pavey, R. R., and Martin, D. R., 2012, Surficial geology of the Powell, Ohio 7.5-minute quadrangle: Ohio Department of Natural Resources, Division of Geological Survey Open-File Report 2012-__.
- Swinford, E. M., and Wickstrom, Lawrence, 2012, Impact of the Ohio Geological Survey on the Ohio economy: Geological Society of America Abstracts with Programs, v. 44, no. 5, p. 73; Geological Society of America webpage, accessed March 4, 2020, at URL <https://gsa.confex.com/gsa/2012NC/webprogram/Paper202960.html>.

2011

- Aden, D. J., Powers, D. M., Pavey, R. R., Jones, D. M., Martin, D. R., Shrake, D. L., and Angle, M. P., 2011, Karst of western Delaware County, Ohio, region: Ohio Department of Natural Resources, Division of Geological Survey, Open File Report 2011-4, Mapbook, scale 1:12,000.
- Ohio Department of Natural Resources, Division of Geological Survey, 2011, Seismic refraction analyses of shallow subsurface geologic materials: Ohio Department of Natural Resources, Division of Geological Survey webpage, accessed February 13, 2020, at URL <http://geosurvey.ohiodnr.gov/open-file-materials-pgs/seismic-reflectivity-studies>.
- Pavey, R. R., Aden, D. J., Larsen, G. E., Angle, M. P., and Wolfe, M. E., with GIS production and cartography by Powers, D. M., Wells, J. G., and Martin, D. R., 2011, Potential sand and gravel resources of the Canton 30 x 60-minute quadrangle, Ohio: Ohio Department of Natural Resources, Division of Geological Survey Map SG-2a CAN, scale 1:100,000; accessed February 13, 2020, at URL http://geosurvey.ohiodnr.gov/portals/geosurvey/PDFs/SurficialDerivativesPDF_Drafts/Canton_PotentialSandGravelResources_FINAL.pdf.
- Pavey, R. R., Larsen, G. E., Angle, M. P., Aden, D. J., and Jones, D. M., with GIS production and cartography by Wells, J. G., and Martin, D. R., 2011, Suitability for solid-waste disposal in the Lorain 30 X 60-minute quadrangle, Ohio: Ohio Department of Natural Resources, Division of Geological Survey Map SG-2b LOR, scale 1:100,000; accessed February 13, 2020, at URL http://geosurvey.ohiodnr.gov/portals/geosurvey/PDFs/SurficialDerivativesPDF_Drafts/Lorain_SG_2B.pdf.

Venteris, E. R., Shrake, D. L., Larsen, G. E., Angle, M. P., Pavey, R. R., and Wolfe, M. E., with GIS administration by Powers, D. M., Wells, J. G., and Martin, D. R., 2011, Potential for mineable bedrock in the Findlay 30 x 60 minute quadrangle: Ohio Department of Natural Resources, Division of Geological Survey Map SG-2d FIN, scale 1:100,000; accessed March 4, 2020, at URL http://geosurvey.ohiodnr.gov/portals/geosurvey/PDFs/SurficialDerivativesPDF_Drafts/Findlay_Thin_Drift_over_BG_102010.pdf.

2010

- Shrake, D. L., Powers, D. M., Pavey, R. R., Venteris, E. R., Angle, M. P., Larsen, G. E., and Miller, Edward, 2010, Using LiDAR and high-resolution aerial photography to map karst in Delaware County, Ohio: Geological Society of America Abstracts with Programs, v. 42, no. 2, p. 77; Geological Society of America webpage, accessed March 4, 2020, at URL <https://gsa.confex.com/gsa/2010NC/webprogram/Paper171280.html>.
- Shrake, D. L., Venteris, E. R., Larsen, G. E., Angle, M. P., Pavey, R. R., Powers, D. M., Wells, J. G., and Eddy, A., 2010, Map of the surficial geology of the Marion 30 X 60 minute quadrangle [abs.]: The Ohio Journal of Science, v. 110, no. 1, p. A–20, accessed March 4, 2020, at URL https://kb.osu.edu/bitstream/handle/1811/52625/OJS110N1_A2.pdf?sequence=1&isAllowed=y.
- Shrake, D. L., Venteris, E. R., Larsen, G. E., Angle, M. P., Pavey, R. R., Wolfe, M. E., and Powers, D. M., with GIS administration by Powers, D. M., Wells, J. G., and Martin, D. R., 2010, Potential for mineable bedrock in the Marion 30 x 60-minute quadrangle: Ohio Department of Natural Resources, Division of Geological Survey Map SG-2d MAR, scale 1:100,000; accessed March 4, 2020, at URL http://geosurvey.ohiodnr.gov/portals/geosurvey/PDFs/SurficialDerivativesPDF_Drafts/Marion_Thin_Drift_over_BG_022011.pdf.
- Venteris, E. R., Basta, N. T., and Rea, Ron, 2010, Spatial prediction of arsenic background concentrations in soil, Ohio, U.S.A.: Geological Society of America Abstracts with Programs, v. 42, no. 2, p. 95; Geological Society of America webpage, accessed March 4, 2020, at URL <http://gsa.confex.com/gsa/2010NC/webprogram/Paper170940.html>.

2009

- Raab, James, Haiker, Bill, Jones, Wayne, Angle, Michael, Pavey, Rick, Swinford, Mac, and Powers, Donovan, 2009, Ground water induced flooding in the Bellevue Ohio area spring and summer 2008: Ohio Department of Natural Resources, Division of Water Technical Report of Investigation 2009-1, 19 p., accessed March 4, 2020, at URL http://water.ohiodnr.gov/portals/soilwater/pdf/groundwater/Bellevue_Final_Report.pdf.
- Shrake, D. L., Venteris, E. R., Larsen, G. E., Angle, M. P., and Pavey, R. R., 2009, Map of the surficial geology of the Findlay 30 X 60 minute quadrangle: The Ohio Journal of Science, v. 109, no. 1, p. A-22, accessed March 4, 2020 at URL https://kb.osu.edu/bitstream/handle/1811/52147/OJS109N1_A2.pdf?sequence=1&isAllowed=y.
- Venteris, E. R., 2009, Separating stratigraphic layers and local facies in borehole records from glacial sediments using statistical analysis: Geological Society of America Abstracts with Programs, v. 41, no. 4, p. 65; Geological Society of America webpage, accessed February 13, 2020, at URL <http://gsa.confex.com/gsa/2009NC/webprogram/Paper156503.html>.

Venteris, E. R., and Larsen, G. E., 2009, A reinterpretation of the glacial geology and an assessment of the lithology of glacial sediments in the area of Stages Pond Nature Preserve, Ashville, Ohio: Ohio Department of Natural Resources, Division of Geological Survey Information Circular 62, 11 p., accessed March 4, 2020, at URL https://kb.osu.edu/bitstream/handle/1811/80399/OGS_2009_IC-62.pdf?sequence=1&isAllowed=y.

2008

Central Great Lakes Geologic Mapping Coalition, 2008, Central Great Lake Geologic Mapping Coalition Brochure: Central Great Lakes Geologic Mapping Coalition Information Sheet, 4 p.

Larsen, G. E., 2008, Highland County Water Company Well Field No. 1 seismic investigation: Ohio Department of Natural Resources, Division of Geological Survey Open-File Report 341419000224, 18 p.

Larsen, G. E., 2008, Highland County Water Company Well Field No. 2 seismic investigation: Ohio Department of Natural Resources, Division of Geological Survey Open-File Report 340719000524, 19 p.

Larsen, G. E., 2008, Indian Run United Methodist Church seismic investigation: Ohio Department of Natural Resources, Division of Geological Survey Open-File Report 340499000424, 18 p.

Larsen, G. E., 2008, Lambert Road, Martino property seismic investigation: Ohio Department of Natural Resources, Division of Geological Survey Open-File Report 340499000324, 16 p.

Larsen, G. E., 2008, The Ohio State University Extension and Ohio Agricultural Research and Development Center and Northwest Branch Agricultural Research Station seismic investigation: Ohio Department of Natural Resources, Division of Geological Survey Open-File Report 341739000124, 14 p.

Pavey, R. R., Olyphant, G. A., and Letsinger, S. L., 2008, GIS-based three-dimensional geologic and hydrogeologic modeling of the Milan, Ohio 1:24,000 quadrangle: Geological Society of America Abstracts with Programs, v. 40, no. 5, p. 72; Geological Society of America webpage, accessed February 13, 2020, at URL <https://gsa.confex.com/gsa/2008NC/webprogram/Paper137850.html>; poster available at IUScholarWorks (digital repository), accessed February 13, 2020, at URL <https://scholarworks.iu.edu/dspace/handle/2022/3357>.

Shrake, D. L., Venteris, E. R., Larsen, G. E., Schumacher, G. A., Pavey, R. R., and Angle, M. P., 2008, Quaternary materials adjacent to the glaciated margin in north-central Ohio: Geological Society of America Abstracts with Programs, v. 40, no. 5, p. 57; Geological Society of America webpage, accessed February 13, 2020, at URL <https://gsa.confex.com/gsa/2008NC/webprogram/Paper137795.html>.

Shrake, D. L., Venteris, E. R., Larsen, G. E., Schumacher, G. A., Pavey, R. R., and Angle, M. P., 2008, Surficial geology map of the Mansfield 30 X 60 minute quadrangle: The Ohio Journal of Science, v. 108, no. 1, p. A-25.

Venteris, E. R., Shrake, D. L., Larsen, G. E., Pavey, R. R., and Schumacher, G. A., with GIS administration by Powers, D. M., Wells, J. G., and Martin, D. R., 2008, Potential sand and gravel resources of the Mansfield 30 x 60 minute quadrangle: Ohio Department of Natural Resources, Division of Geological Survey Map SG-2a MAN, scale 1:100,000; accessed March 4, 2020, at URL http://geosurvey.ohiodnr.gov/portals/geosurvey/PDFs/SurficialDerivativesPDF_Drafts/Mansfield_PotentialSandGravelResources_032011.pdf.

Wolfe, M. E., Venteris, E. R., Shrake, D. L., Larsen, G. E., Schumacher, G. A., and Pavey, R. R., 2008, Potential sand and gravel resources of the Mansfield, Ohio 30 x 60 minute quadrangle: 44th Forum on the Geology of Industrial Minerals, Midwest City, Oklahoma, May 11–16, 2008, p. 37.

2007

- Larsen, G. E., 2007, Seismic investigation of the Castalia State Fish Hatchery Castalia, Ohio: Ohio Department of Natural Resources, Division of Geological Survey Open-File Report 340439001024, 37 p.
- Shrake, D. L., Swinford, E. M., Schumacher, G. A., Larsen, G. E., Venteris, E. R., and Pavey, R. R., 2007, Complete 1:100,000-scale coverage of the surficial geology of Ohio's Lake Erie coast: The Ohio Journal of Science, v. 107, no. 1, p. A-14.
- Swinford, E. M., Pavey, R. R., and Larsen, G. E., 2007, New map of the surficial geology of the Lorain and Put-in-Bay 30 X 60 minute quadrangles, Ohio, *in* Soller, D. R., ed., Digital mapping techniques '06; workshop proceedings: U.S. Geological Survey Open-File Report 2007-1285, p.177–182; U.S. Geological Survey webpage, accessed February 13, 2020, at URL <https://pubs.usgs.gov/of/2007/1285/pdf/Swinford.pdf>.
- Swinford, E. M., Slucher, E. R., Shrake, D. L., Schumacher, G. A., Larsen, G. E., Powers, D. M., and McDonald, J., 2007, The new bedrock geologic map of Ohio completed: The Ohio Journal of Science, v. 107, no. 1, p. A-31.
- Venteris, E. R., 2007, Qualitative and quantitative 3D modeling of surficial materials at multiple scales, *in* Soller, D. R., ed., Digital Mapping Techniques '06, Workshop Proceedings: U.S. Geological Survey Open-File Report 2007-1285, p. 129–150; U.S. Geological Survey webpage, accessed February 13, 2020, at URL <http://pubs.usgs.gov/of/2007/1285/pdf/Venteris.pdf>.
- Venteris, E. R., 2007, Three-dimensional modeling of glacial sediments using public water-well data records—an integration of interpretive and geostatistical approaches: Geosphere, v. 3, no. 6, p. 456–468.
- Venteris, E. R., Larsen, Glenn, Pavey, R. R., Shrake, D. L., Swinford, E. M., and Wolfe, M. E., 2007, Three-dimensional mapping of surficial materials in Ohio—techniques and applications: Geological Society of America Abstracts with Programs, v. 39, no. 6, p. 161; Geological Society of America webpage, accessed February 13, 2020, at URL <https://gsa.confex.com/gsa/2007AM/webprogram/Paper126944.html>.

2006

- Larsen, G. E., 2006, Boy Scouts of America, Beaumont Scout Reservation seismic investigation: Ohio Department of Natural Resources, Division of Geological Survey Open-File Report 340079000324, 17 p.
- Larsen, G. E., 2006, Brockman property seismic investigation: Ohio Department of Natural Resources, Division of Geological Survey Open-File Report 340719000424, 12 p.
- Larsen, G. E., 2006, Hickory Hills Lake Resort seismic investigation: Ohio Department of Natural Resources, Division of Geological Survey Open-File Report 340979000124, 14 p.
- Larsen, G. E., 2006, Howard Rich seismic investigation: Ohio Department of Natural Resources, Division of Geological Survey Open-File Report 340079000224, 10 p.
- Shrake, D. L., 2006, Maps from the Ohio Division of Geological Survey—no longer just artwork for the office wall: The Ohio Journal of Science, v. 105, no. 1, p. A-49.
- Shrake, D. L., 2006, New geologic maps and the search for and management of geologic resources in Ohio: Geological Society of America Abstracts with Programs, v. 38, no. 4, p. 9; Geological Society of America webpage, accessed February 13, 2020, at URL <https://gsa.confex.com/gsa/2006NC/webprogram/Paper103266.html>.

- Swinford, E. M., 2006, Maps of the surficial geology from surface to bedrock for portions of Ohio: Geological Society of America Abstracts with Programs, v. 38, no. 4, p. 3; Geological Society of America webpage, accessed February 13, 2020, at URL <https://gsa.confex.com/gsa/2006NC/webprogram/Paper103290.html>.
- Venteris, E. R., 2006, Three-dimensional mapping of lithology in buried glacial valleys using sequential indicator simulation, *in* Geological Society of America Penrose Conference, Unlocking 3-D Earth Systems—Harnessing New Digital Technologies to Revolutionize Multiscale Geologic Models: Durham, U. K., Durham University, September 17–21, 2006, [Proceedings].
- Venteris, E. R., Swinford, E. M., Pavey, R. R., Shrake, D. L., and Larsen, G. E., 2006, Differences in resolution and geomorphological interpretation between SSURGO soil maps and legacy glacial geology maps, Ashtabula and Trumbull Counties, OH: Geological Society of America Abstracts with Programs, v. 38, no. 4, p. 9; Geological Society of America webpage, accessed February 13, 2020, at URL <https://gsa.confex.com/gsa/2006NC/webprogram/Paper103141.html>.

2005

- Larsen, G. E., 2005, Libbens farm seismic investigation: Ohio Department of Natural Resources, Division of Geological Survey Open-File Report 341239000124, 15 p.
- Larsen, G. E., 2005, Maumee State Forest seismic investigation: Ohio Department of Natural Resources, Division of Geological Survey Open-File Report 340519000124, 10 p.
- Shrake, D. L., 2005, From 1837 to 2005 and beyond—how Ohio Geological Survey maps can benefit water management in Ohio: Water Management Association of Ohio Annual Fall Conference, 34th, Columbus, Ohio, November 2–3, 2005, [Proceedings].
- Swinford, E. M., Pavey, R. R., Larsen, G. E., and Vorbau, K. E., 2005, New map of the surficial geology of the Lorain and Put-in-Bay 30 X 60 minute quadrangles, Ohio, *in* Herzog, B., Wehrmann, A., Mushrush, M., Keefer, D., Brower, R., Hilberg, S., Warner, K., Merrifield, L., McKenna, D., and Locke, R., eds., 50th Annual Midwest Ground Water Conference Program with Abstracts: Illinois State Geological Survey Open-File Study 2005-13, p. 61; accessed February 13, 2020, at URL <http://library.isgs.illinois.edu/Pubs/pdfs/ofs/2005/ofs2005-13.pdf>.

2004

- Central Great Lakes Geologic Mapping Coalition, 2004, The Central Great Lakes Geologic Mapping Coalition: Great Lakes Geologic Mapping Coalition website.
- Larsen, G. E., 2004, Paint Creek Dam and Reservoir seismic investigation: Ohio Department of Natural Resources, Division of Geological Survey Open-File Report 34341419000124, 26 p.
- Swinford, E. M., and Powers, Donovan, 2004, Bedrock-topography and drift-thickness maps for Ohio: Geological Society of America Abstracts with Programs, v. 36, no. 3, p. 49; Geological Society of America webpage, accessed March 4, at URL <https://gsa.confex.com/gsa/2004NC/webprogram/Paper71405.html>.

2003

- Larsen, G. E., 2003, Blakeman property seismic investigation: Ohio Department of Natural Resources, Division of Geological Survey Open-File Report 340439000724, 10 p.
- Larsen, G. E., 2003, Wheeler property seismic investigation: Ohio Department of Natural Resources, Division of Geological Survey Open-File Report 340439000824, 14 p.

Larsen, G. E., 2003, Wheeler property seismic investigation No. 2: Ohio Department of Natural Resources, Division of Geological Survey Open-File Report 340439000924, 9 p.

2002

Larsen, G. E., 2002, Deehr Road seismic investigation: Ohio Department of Natural Resources, Division of Geological Survey Open-File Report 340439000124, 10 p.

Larsen, G. E., 2002, District Petroleum, Inc. seismic investigation: Ohio Department of Natural Resources, Division of Geological Survey Open-File Report 340439000224, 9 p.

Larsen, G. E., 2002, Osborn Park seismic investigation: Ohio Department of Natural Resources, Division of Geological Survey Open-File Report 340439000324, 17 p.

Larsen, G. E., Swinford, E. M., Pavey, R. R., Schumacher, G. A., and Vorbau, K. E., 2002, The surficial geology of the Canton and East Liverpool 1:100,000-scale quadrangles shown in three dimensions: Geological Society of America Abstracts with Programs, v. 34, no. 2, p. 98; Geological Society of America webpage, accessed February 13, 2020, at URL

<https://gsa.confex.com/gsa/2002NC/webprogram/Paper32428.html>.

Pavey, R. R., Schumacher, G. A., Larsen, G. E., Swinford, E. M., and Vorbau, K. E., 2002, Three-dimensional surficial geology of the Cleveland South 30X60-minute quadrangle: Geological Society of America Abstracts with Programs, v. 34, no. 2, p. 98; Geological Society of America webpage, accessed February 13, 2020, at URL

<https://gsa.confex.com/gsa/2002NC/webprogram/Paper32581.html>.

Shrake, D. L., Brockman, C. S., Vorbau, K. E., and Wynkoop, R. J., 2002, The 3-D surficial geology map of the Mad River and Little Darby Creek watersheds: Geological Society of America Abstracts with Programs, v. 34, no. 2, p. A-8; Geological Society of America webpage, accessed February 13, 2020, at URL <https://gsa.confex.com/gsa/2002NC/webprogram/Paper31673.html>.

Shrake, D. L., Brockman, C. S., Vorbau, K. E., and Wynkoop, R. J., 2002, The making of the 3-D surficial-geology map of the Mad River and Little Darby Creek watersheds: The Ohio Journal of Science, v. 102, no. 1, A-38.

2001

Shrake, D. L., Brockman, C. S., Swinford, E. M., and Vorbau, K. E., 2001, Surficial geology of the Upper Scioto River watershed: The Ohio Journal of Science, v. 101, no. 1, p. A-25.

2000

Brockman, C. S., Schumacher, G. A., and Shrake, D. L., 2000, New stack-unit map of Dayton region depicts Pleistocene sediments above bedrock: The Ohio Journal of Science, v. 100, no. 1, p. A-11.

1999

Berg, R. C., Bleuer, N. K., Jones, B. E., Kincare, K. A., Pavey, R. R., and Stone, B. D., 1999, Mapping the glacial geology of the Central Great Lakes Region in three dimensions—a model for state-federal cooperation: U.S. Geological Survey Open-File Report 99-349, 40 p.; U.S. Geological Survey webpage, accessed February 13, 2020, at URL <https://pubs.usgs.gov/pdf/of/ofr99349/>.

Brockman, C. S., Pavey, R., Schumacher, G. A., Shrake, D. L., Swinford, E. M., and Vorbau, K. E., 1999, New stack-unit map of Cincinnati area depicts entire thickness of unconsolidated deposits: The Ohio Journal of Science, v. 99, no. 1, p. A-15.

Central Great Lakes Geologic Mapping Coalition, 1999, Sustainable growth in America's heartland—3-D geologic maps as the foundation: U.S. Geological Survey Circular 1190, 17 p.; U.S. Geological Survey webpage, accessed February 13, 2020, at URL <https://pubs.usgs.gov/circ/c1190/c1190-72.pdf>.

Central Great Lakes Geologic Mapping Coalition, 1999, The Central Great Lakes Geologic Mapping Coalition: U.S. Geological Survey Fact Sheet 153-99, 2 p.; U.S. Geological Survey webpage, accessed February 13, 2020, at URL <https://pubs.usgs.gov/fs/fs153-99/fs153-99.pdf>.

1997

Newell, W. L., and Stone, B. D., 1997, U.S. Geological Survey 1997 surficial geologic mapping school ("surfschool"); field mapping exercises in Berrien County, Michigan: Geological Society of America Abstracts with Programs, v. 29, no. 6, p. 39.

1996

Stone, B. D., Pavey, R. R., and Fuller, J. A., 1996, Surficial materials, bedrock surface topography, and coastal erosion in the eastern half of the Lake Erie coastal area, Lorain, Cuyahoga, Lake, and Ashtabula counties, Ohio: U.S. Geological Survey Open-File Report 96-0507, p. 40-43.

1995

Pavey, R. R., Stone, B. D., and Bruno, P. W., 1995, Coastal lithologies of the Perry quadrangle, Lake County, Ohio: U.S. Geological Survey Open-File Report 95-0224, p. 42-49.

Stone, B. D., Pavey, R. R., and Bruno, P. W., 1995, Surficial materials and erosion in the coastal area of the North Kingsville 7.5' quadrangle, Ashtabula County, Ohio: U.S. Geological Survey Open-File Report 95-0224, p. 51-58.